

Ford-Fulkerson Algorithm

The Ford-Fulkerson algorithm computes the value of the max flow in a flow network G . G is a directed, weighted graph with a source vertex s and sink vertex t . Instead of attaching attributes to vertices as we've done in some other graph algorithms, we attach an attribute f to each edge (u, v) of the graph. The f attribute for a given edge indicates the flow on that edge so far.

Each edge (u, v) also has a capacity $c(u, v)$. As long as there is an augmenting path from s to t , with available capacity on all edges in the path, we send flow along one of the paths. Then we find another path, and so on.

FORD-FULKERSON(G, s, t)

```

1  for each edge  $(u, v) \in G.E$ 
2       $(u, v).f = 0$ 
3  while there exists a path  $p$  from  $s$  to  $t$  in the residual network  $G_f$ 
4       $c_f(p) = \min\{c_f(u, v) : (u, v) \text{ is in } p\}$ 
5      for each edge  $(u, v)$  in  $p$ 
6          if  $(u, v) \in G.E$ 
7               $(u, v).f = (u, v).f + c_f(p)$ 
8          else
9               $(v, u).f = (v, u).f - c_f(p)$ 

```

We typeset the Ford-Fulkerson procedure above with the following L^AT_EX:

```

\begin{codebox}
\Procname{\proc{Ford-Fulkerson}(G, s, t)}
\li \For each edge  $(u, v)$  \in  $G.E$ 
\Do
\li  $(u, v).f = 0$ 
\End
\li \While there exists a path  $p$  from  $s$  to  $t$  in the residual network  $G_f$ 
\Do
\li  $c_f(p) = \min\{c_f(u, v) : (u, v)$  is in  $p\}$ 
\li \For each edge  $(u, v)$  in  $p$ 
\Do
\li \If  $(u, v)$  \in  $G.E$ 
\Then
\li  $(u, v).f$  \gets  $(u, v).f + c_f(p)$ 
\li \Else
\li  $(v, u).f$  \gets  $(v, u).f - c_f(p)$ 
\End
\End
\end{codebox}

```